

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	7	(voltage adj regulator) and (level adj (shift\$3 or transl\$3 or convert\$3)) and (first near2 voltage) and (second near2 voltage) and (critical near2 voltage) and (power adj consumption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:17
L2	17	("4595941" "4835416" "4890187" "4918563" "4922371" "4978867" "4980792" "4982113" "5041889" "5121007" "5124578" "5134314" "5189588" "5239440" "5287241" "5343352" "5345357").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/14 11:23
L3	910	(voltage adj regulator) and (level adj (shift\$3 or transl\$3 or convert\$3)) and (power adj consumption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:53
L4	471	(voltage adj regulator) and (level adj (shift\$3 or transl\$3 or convert\$3)) and (reduce same (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:54

L5	306	(voltage adj regulator) and (level adj (shift\$3 or transl\$3 or convert\$3)) and (reduce with (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:54
L6	21	(voltage adj regulator) same (level adj (shift\$3 or transl\$3 or convert\$3)) same (reduce with (power adj consumption))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:55
L7	21	6 not 1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/14 11:55
L8	17	"4188585" "4356412" "4485433" "4670673" "4837460" "4839787" "4868908" "4935644" "4947061" "5021680" "5023476" "5029282" "5043605" "5045772" "5063304" "5066873" "5140196").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/14 12:50
L9	6	("6034562").URPN.	USPAT	OR	OFF	2008/03/14 12:54

3/ 14/ 08 12:57:16 PM

C:\Documents and Settings\DChang\My Documents\EAST\Workspaces\11773427.wsp